

# Professional Line

auLika

Aulika is the perfect combination of aesthetics and professional performance. It has a clean, rational design and unparalleled technology: double hydraulic circuit, conical blades, and large water and coffee capacity (for the Aulika Top and Mid models).

## Aulika Focus



## Technical Specifications:

Dimensions (WxHxD):	336x380x450mm
Weight:	15kg
Water supply:	Removable water reservoir
Removable water reservoir:	2.2 lt
Capacity of the bean hopper:	320g
Boiler:	Stainless steel
Colour:	Stainless Steel
Number of pre-selections:	1
Number of selections:	4
Dreg Drawer capacity:	19
Pump pressure:	15 bar



## Capacities:

- “One Touch” function to prepare cappuccino and/or latte with a single touch
- Simple, intuitive display
- Stainless steel front and upper panels.
- Thermal fuse safety device
- Cup warmer
- Cappuccinatore unit for frothing
- 2 coffee cups simultaneously
- Hot water / steam wand
- Double pump, double boiler
- Integrated Pinless Wonder Cappuccinatore
- Cup warmer
- Pre-ground coffee option
- Steel conical blades





auLika

Aulika is the perfect combination of aesthetics and professional performance. It has a clean, rational design and unparalleled technology: double hydraulic circuit, conical blades, and large water and coffee capacity (for the Aulika Top and Mid models).

## Aulika Top RI

130 Cups per Bean hopper filling



## Technical Specifications:

Dimensions (WxHxD)	334x574x452mm
Weight	22kg
Water supply:	Removable water
reservoir/Water connection	
Removable water reservoir:	4lt
Capacity of the bean hopper:	1kg
Quantity of ground coffee:	6-10g
Boiler:	Double stainless steel
Colour:	Stainless Steel
Number of pre-selections:	1
Number of selections:	5
Pump pressure:	15 bar



### Capacities:

- High capacity containers for professional use
- 8 Selection keys with direct selection of 5 types of drinks
- “One Touch” function to prepare cappuccino and/or latte with a single touch
- Simple, intuitive display
- Stainless steel front and upper panels.

In the Aulika Top High Speed Cappuccino version it is possible to choose the high-speed milk dispensing function, at the same time as the coffee dispensing one or in a sequence, first coffee, then milk. The patented Pinless Wonder technology is less sensitive to lack of or insufficient cleaning of the cappuccinatore, and maintains constant frothing performance even in the most demanding operating conditions. Pinless Wonder is available only in the Aulika Top, Top High Speed Cappuccino and Aulika Focus versions.





# Saeco Royal Gran Crema

60 Cups per Bean hopper filling



## Technical Specifications:

Dimensions (WxHxD):	336x380x450mm
Weight:	15kg
Water supply:	Removable water reservoir
Removable water reservoir:	2.2 lt
Capacity of the bean hopper:	320g
Boiler:	Stainless steel
Colour:	Stainless Steel
Number of pre-selections:	1
Number of selections:	4
Dreg Drawer capacity:	19
Pump pressure:	15 bar



Royal Gran Crema is the perfect example of balance of performance, ease of use and design. This system is a renovation of Saeco's offer to the OCS and Ho.Re.Ca. markets with new smart functions. A large graphic display makes it especially easy to select beverages, thanks to essential and intuitive messages and icons. The preferred beverage can be selected with just a touch, it is possible to change the intensity of the chosen coffee beverage at any time, in an intuitive way, and to save the setting for all subsequent deliveries. Maintenance and cleaning, too, are easy, as all the components that need to be serviced regularly are removable.

### A TRULY PLEASANT BREAK.

Royal Gran Crema can dispense coffee, hot water, steam, and create excellent milk-based beverages, such as cappuccino and latte macchiato. Indeed, thanks to the exclusive, integrated "Tuono" cappuccinatore, enjoying a creamy and tasty beverage is a very simple matter. The cup warmer and the powder option that allows pre-ground coffee to be used, round off the experience of drinking a cup of coffee in the best Italian tradition. Just choose your drink and Royal Gran Crema shall deliver.



# Saeco Royal Cappuccino

60 Cups per Bean hopper filling



## Technical Specifications:

Dimensions (WxHxD):	390x395x455mm
Weight:	15kg
Power:	2300w
Removable water reservoir:	2,4lt
Capacity of the bean hopper:	300g
Quantity of ground coffee:	6-12g
Boiler:	Double stainless steel
Pump pressure:	15 bar
Colour:	Silver/Black



## Capacities

- Has 2 independent boilers and 2 pumps allowing making coffee and frothing milk simultaneously
- “Cappuccinatore” Automatic milk frothing device
- Adjustable coffee dispensing head in height
- Removable brew group, water reservoir and grounds drawer
- Adjustable coffee grinder
- Ready-ground coffee option
- Digital Display Panel
- Cup warmer
- Swivel based support to simplify use and maintenance
- Intenza water filter
- Automatic cleaning and de-scaling feature



# Lirika

Lirika is a simple, compact and performing machine, ideal for the office and small Ho.Re.Ca. venues. It has modern and essential lines, high capacity water and coffee tanks and is incredibly easy to use. Lirika, Lirika Plus and Lirika OTC are the best expression of Saeco know-how, in three versions that offer a concentrated mix of top quality and performance. The wide display (in the OTC version with completely redesigned icons) allows the user to choose espresso or coffee and hot water or steam delivered through an independent wand (steam not available in the OTC version).

## Saeco Lirika OTC

50 Cups per Bean hopper filling



## Technical Specifications:

Frequency:	50 Hz
Power:	1850 W
Pump Pressure:	15 bar
Weight:	8kg
Dimensions:	215x370x429 mm
Coffee bean capacity:	500 g
Dump box capacity:	15 servings
Water tank capacity:	2.5 l
Machine Housing Material:	Metal - Thermoplastic
Boiler:	Rapid Steam Stainless Steel-Lined Thermo Block



### Capacities:

- Pinless Wonder Cappuccinatore
- One Touch Cappuccino/Latte option
- Coffee volume control - programmable cup sizes.
- Automatic cleaning and de-scaling, removable water tank, drip tray, dreg draw & brew unit
- Ceramic grinder blades
- Adjustable coffee dispenser.
- Adjustable Aroma (3 strength settings)
- Easy to use menu options
- 4 Direct Drink selections (Espresso, Coffee, Cappuccino, Latte)
- Hot water and Milk selections option available in Menu
- Mini cleaning selection



## Saeco Steel SE200

300 Coffee cups per hour

Created to satisfy every professional requirement, the Aroma line is the embodiment of the high quality of Saeco technology. Prepares up to 300 Coffee cups per hour. Coffee preparation takes about 25-30 seconds, has a cup heating system. Simultaneous preparation of four cups of coffee.



### Technical Specifications:

Dimensions (WxHxD):	625x472x510mm
Weight:	49kg
Power:	230-240v/ 50-60hz
Quantity of ground coffee:	1 Cup 5.5g - 7g or 2 Cups 12g - 14g
3 Water circuits:	Coffee/Hot water/Steam
Water Connections:	¾" (1-8 bar)
Boiler:	13lt copper
Steam Production:	6.9 kg's per hour
Number of Selections:	10
Colour:	Black/Silver
Housing Material:	Stainless / Painted Steel



### Capacities:

- Autonomously pre-heated brewing group with adjustable temperature maintains the perfect temperature of any sort of coffee beans independent of how long the machine has not been in use.
- Double pre-brewing system - mechanical only or mechanical and electronic.
- Top boiler capacity - one of the highest available
- Main switch with 3 positions - Full power, reduced power and energy saving mode for electronic heating
- Teflon-coated volumetric meter and cold nozzle with T.E.A treatment to prevent lime scale.
- Coffee Pods Kits, single pod for 1 coffee or double pod for 2 coffee's.
- Pressure switch adjustment - to keep the boiler pressure constant.
- 4 coffee spouts, to dispense one or two cups of coffee
- All functions can be programmed using keypad
- The Saeco Steel SE200 is designed for coffee shops, bars, canteens, hotels & restaurants.
- Pressure Gauge for Boiler and pump.
- Stainless Steel Articulated Hot water & Steam Wand.



# Fiorenzato MC F64E Electronic Coffee Grinder

Heavy duty on-demand coffee grinder for the busy coffee outlet.

Features a modern designed heavy duty cast alloy body and 63mm grinding blades.

Continuous micrometric grinding adjustment with steel dosimeter and dose counter.

The Fiorenzato is ideally suited for large commercial use.

- Plasticized aluminum body;
- special steel grind wheels;
- automatic start on request;
- bell house capacity: 2 Kg coffee beans



## Technical Specifications:

- Continuous micrometric grinding adjustment
- E Model = single-dose system
- Standard varnishing
- Standard fork
- Grinding adjustment with ring nut
- Power: 350 Watt
- Grinders flat disk of diameter: 64 mm
- Coffee bean container capacity: 1,5 Kg
- Net weight: 14 Kg
- Grinder rev / RPM: 1550/min (60 Hz)
- Dimensions (mm): 220 (length) x 400 (deep) x 600 (height)



# Vending Line

## Saeco Rubino 200

The ideal espresso machine for use at service stations, bakeries, offices or even for catering.



### Technical Specifications:

Dimensions (WxHxD)	410x672x537mm
Height inc coffee Container	757mm
Weight	46kg
Power supply	230v/50hz
Water supply	Water system
Boiler	Brass 350cc
Power consumption	1250w

Rubino 200 is a completely automatic table-top vending machine of the latest generation with design and technical performance of the highest class. It is especially suitable for small and medium locations. Up to eight different beverages can be offered.

In addition, a cabinet is available in two versions, Standard and for the use of a coin changer

#### Capacities:

Fresh Bean-to-Cup Coffee on the go

- 15 Beverage options
- Fully automatic dispensing: Espresso, Filter black, Cappuccino, Café Late, Choccaccino, Moccaccino, Hot chocolate, hot water for tea and sugar
- SAECO Removable Brewing group: Unparalleled brewing quality
- Painted, zinc-plated sheet body
- Transparent coffee bean and tanks, food-contact approved polypropylene
- Air-break device with anti-overflow valve and antiflooding security solenoid valve
- Easy cleaning and low maintenance
- Self explanatory operation, customer friendly and no assistance required





# Saeco Next Age Master Standard

150 Cups per Bean hopper filling



## Technical Specifications:

Dimensions (WxHxD)	364x790x596 mm
Weight	60.2 Kg
Power Consumption	3000 W
Capacity of the bean hopper	1.3 kg
Soluble products container	1.64l
Coffee grounds container	60
Quantity of ground coffee	6-14g
Boiler	Thermo block J;
Stainless steel	
Pump pressure	16 bar
Cappuccinatore	Yes - 2
Pre Ground option	Yes - 1
Independent Steam wand	Yes - 1
Independent hot water wand	Yes - 1

Nextage is the perfect professional solution for all environments and all situations. Just try it: its performance is particularly remarkable in the busiest hours of the day and in the most crowded locations, from bars to great catering services. In hotels, too, having breakfast where there is a Nextage machine available is a singular pleasure, a ritual to be adopted autonomously, to pamper oneself. Nextage is a modular machine with a modern and minimalist design and touch screen controls, designed to address the needs of its final user and to deliver a complete range of beverages.

### Capacities:

- Simultaneously preparation of 2 products
- 60 Cappuccino's per hour
- Ceramic Grinder blades
- Height adjustable Coffee Dispenser
- 7" Touch screen display with one touch coffee/milk/chocolate beverages
- 12 Selections.
- Easy beverage selection and machine programming via touch screen
- Wide range of beverages from different combinations of coffees, fresh milk and hot chocolate.



# Saeco Cristallo 600

Available with or without Note reader and coin validator  
400 Cups per Bean hopper filling



## Technical Specifications:

Dimensions (WxHxD)	580x1830x610mm
Weight	105kg
Power supply	230v/50hz
Water supply	Water system
Water connection	¾" (1 - 8 bar)
Boiler	Brass 350cc
Power consumption	1250w

## Capacities:

- Fresh Bean-to-Cup Coffee on the go
- 23 Beverage options
- Fully automatic dispensing: Espresso, Filter black, Cappuccino, Café Late, Choccaccino, Moccaccino, Hot chocolate, hot water for tea and sugar
- SAECO Removable Brewing group: Unparalleled brewing quality
- Pre-galvanized and painted steel-sheet body
- Transparent coffee bean and tanks, food-contact approved polypropylene
- Air-break device with anti-overflow valve and antiflooding security solenoid valve
- Easy cleaning and low maintenance
- Self explanatory operation, customer friendly and no assistance required
- Customizable settings
- High safety for customer and operator



# Saeco Corallo

Available with or without Note reader and coin validator



## Technical Specifications:

Dimensions (WxHxD)	765 x1830 x 900mm
Weight	250kg
Power supply	230v/50Hz
Power Consumption	600w
Number of Trays	6 - 7
Number of Spirals	36 - 42
Refrigerating Unit	1/5HP
Ecological Refrigerant Fluid	404a

## Capacities:

- Temperature based on product assortment (Saeco Flexi Temp)
- Health control to block the dispensing of products if the temperature is not adequate.
- Refrigerating unit in mono block consisting of a plate base on which all components are set.
- The removable slot allows maintenance of the machine without interacting with the refrigerated area.
- Automatic defrost cycles thanks to the anti-frost probe.
- Programming sale prices (up to 25)
- Illumination with florescent light.
- 5-button key pad with direct access to functions useful for the operator.
- Programmable Reida lock.

